

AUTOMOTIVE FILTERS

FOR ULTIMATE POWER AND SMOOTHER RIDE ON THE ROAD.



HELLA WORLDWIDE

125 locations worldwide.

1899 marks the beginning of HELLA.

35 countries around the globe

7,768 employees worldwide work in research and development at HELLA



HELLA Group in India is known for setting global standards for quality, customer orientation and has created a niche for itself in both international and domestic market as a supplier to leading vehicle manufacturers.

HELLA India Lighting Ltd. brings "Technology of Tomorrow for the Life of Today" to Indian Roads. Member of the Management Board of the HELLA Group, Germany, along with all employees of HILL, have adopted the new strategy for the company to focus all future activities around the central theme of ensuring road safety on Indian Roads. In this regard HILL focuses on state of the art technology products for the special OE segment and safety awareness campaigns through its strong independent Aftermarket network.

EVERYTHING WE DO REVOLVES AROUND OUR CUSTOMERS.

In order to ensure that business runs smoothly, HELLA supports wholesalers and workshops with its extensive know-how and many years of experience. Because we realise that your day-to-day business is already complex enough as it is. As a partner to the wholesalers and as the workshop's friend, we see it quite naturally as our job to make this as simple as possible for you.

The result is that you can plan and carry out your work processes more quickly and more profitably.

PARTNER TO THE WHOLESALERS

HELLA is a reliable partner to the wholesalersthat flexibly responds to customer requests, makes an impression with high-quality products and maximum availability, and thereby speeds up and simplifies business -for more efficiency.

As a partner to the wholesalers, HELLA prioritises solutionoriented and reliable collaboration.

We achieve this through fast and customer oriented service in all matters through highly skilled on-site contacts, whose objective is to accelerate and simplify wholesale business through maximum flexibility and speed.

Our success factor is that weare close to our customers - not only geographically, but alsoin our thinking - through sales companies around the globe.

THE WORKSHOP'S FRIEND.

HELLA is the workshop's friend, combining OE expertise and technical know-how to make day-to-day business faster, more profitable and future-proof.

As the workshop's friend,
HELLA aims to provide
our customers with
optimum support for
everyday workshop
conditions.

Our technical expertise enables fast and solution-oriented service in all technical questions concerning our products. We treat workshops as equals because we understand them and, thanks to our proximity to the market, can also provide them with fast and competent support.

our

PARTNER TO

THE WHOLESALERS

ABOUT HELLA

Headquartered in Germany, HELLA has been developing and manufacturing lighting and electronics components and systems for the automotive industry for more than 100 years.

offering a comprehensive range of innovative and reliable aftermarket products to meet your automotive needs. As the world's leading key technology driver, we pledge to make the roads safer for every driver.

Today, HELLA stand firm in this commitment where quality assurance and safety is still the core of our expertise.

HELLA offer a broad range of lubricants for passenger vehicle, commercial vehicles and industrial applications. HELLA premium quality lubricants satisfy the strict oil specification and standards.

HELLA Lubricants - For ultimate power and smoother ride on the road.

WHY HELLA ENGINE OIL

Global market leader with more Than 50 million Oil sensors sold Made using high quality base oil Precise balance of engine oil additive and base oil

OUR ENGINE OIL

MAXIMUM PERFORMANCE

Engineered for Today's City and Highway Drive HELLA Performance range are advance synthetic motor oil formulated to keep engine running like new. Suitable for cars, vans and light commercial vehicle. These high-performance engine oils are uniquely designed to help provide outstanding performance in both city and highway drive.



- Advanced Synthetic Formula Formulated for newer vehicle emission control system
- Precise Performance
 High shear & oxidation stability for prolonged service life as well as prompt acceleration performance
- Excellent Low-temperature Capabilities
 Enable quick cold weather smooth engine starting.
 Reduce engine noise and protecting engine life.
- Exceptional Engine Protection
 Outstanding anti-contamination nature keeps the engine clean and protected even after long operation.

FUEL EFFICIENCY

Designed to Help Deliver Enhanced Fuel Efficiency

The well balance between our high-performance base oil, fortified with a precisely balanced component additive keep the engine running like new. Combining both advance formulation and low viscosity will increase engine efficiency and improve fuel economy.



■ Low Viscosity Advanced Premium Formulation

Support quick cold-weather starting help extend the engine life and the amount of fuel usage.

- Large Field of Applications
 Using high quality base oils and careful selection of additives allows larger field of application.
- Excellent Fluidity

Lubricated all moving parts in the engine right from start-up. Formulated specifically to reduce engine friction, thus improving energy efficiency and protecting even the most vulnerable engine parts.

ADVANCED DURABILITY

Advance Formula to Prolong Engine Life Made with a high-performance component to help reduce leaks and provide better high temperature protection. If the engine contains excessive sludge deposits, HELLA durability range will help reduce the sludge prolong the life and maintain the efficiency of emission systems in both diesel and gasoline.



- Powerful Active Cleaning Agents
 Powerful dispersant property helps prevent sludge and deposits to keep engine clean.
- Outstanding Thermal and Oxidative Stability
 Supplemented with an additional anti-oxidant, resists oil breakdown delivering outstanding long service life and protection



COOL MAKER 5W-40 FULLY SYNTHETIC

Performance Level: API SN/CF, ACEA A3/B4, ILSAC GF-5, PORSCHE A40, MB 229.5, VW 502.00/505.00

FEATURES & BENEFITS:

- · Increased Fuel Economy
- · Extended oil drain interval
- · Extends engine rebuild life
- · Excellent wear protection
- Protects from Rust & corrosion
- · Excellent cold flow properties



s. No.	PART NO.	PACK SIZE IN LITRES	STD PACKING	COUPON
1	358.097-001	1	20	20.00
2	358.097-011	3.5	6	250.00
3	358.097-021	4	4	250.00
4	358.097-031	50	1	
5	358.097-041	210	1	

COOL MAKER 10W-40 FULLY SYNTHETIC

Performance Level: API SN/CF, ACEA A3/B4, ILSAC GF-5, PORSCHE A40, MB 229.5, VW 502.00/505.00

- · Increased Fuel Economy
- · Extended oil drain interval
- Extends engine rebuild life
- · Excellent wear protection
- Protects from Rust & corrosion
- · Excellent cold flow properties



S. NO.	PART NO.	PACK SIZE IN LITRES	STD PACKING	COUPON
1	358.128-301	/1/	20	20.00
2	358.128-311	3	6	150.00
3	358.128-321	3.5	6	200.00
4	358.128-351	50	1	:#X
5	358.097-091	210	1	-











COOL MAKER 5W-30 FULLY SYNTHETIC

Performance Level: API SN/CF, ACEA A3/B4, ILSAC GF-5, PORSCHE A40, MB 229.5, VW 502.00/505.00

FEATURES & BENEFITS:

- · Increased Fuel Economy
- · Extended oil drain interval
- · Extends engine rebuild life
- · Excellent wear protection
- · Protects from Rust & corrosion
- Excellent cold flow properties



S. NO.	PART NO.	PACK SIZE IN LITRES	STD PACKING	COUPON AMOUNT
1	358.128-201	1	20	20.00
2	358.128-211	3	6	50.00
3	358.128-221	3.5	6	50.00
4	358.097-101	4	4	50.00
5	358.128-231	50	1	
6	358.128-241	210	1	18/2

SAFE GUARD PREMIUM 15W-40

Performance Level: CI4+/SL

- · Excellent anti oxidation properties
- · Extended oil drain interval
- · Extends engine rebuild life
- · Excellent wear protection
- Lower operating cost Reducing maintenance cost
- · Minimizes deposit formation



S. NO.	PART NO.	PACK SIZE IN LITRES	STD PACKING	COUPON AMOUNT
1	358.128-101	1	20	-
2	358.128-381	6	2	- 4
3	358.128-391	7	2	50.00
4	358.128-111	7.5	2	50.00
5	358.133-221	8.5	1	75.00
6	358.128-121	10	1	100.00
7	358.128-131	15	1	150.00
8	358.128-151	50	1	(40)
9	358.128-161	210	1	











SAFE GUARD 15W-40 PREMIUM

Performance Level: CH-4

FEATURES & BENEFITS:

- · Excellent anti oxidation properties
- · Extended oil drain interval
- . Extends engine rebuild life
- · Excellent wear protection
- Lower operating cost Reducing maintenance cost
- · Minimizes deposit formation



S. NO.	PART NO.	PACK SIZE IN LITRES	STD PACKING	COUPON AMOUNT
1	358.128-011	3	6	30.00
2	358.133-001	3.5	6	30.00

SAFE GUARD 15W-40 PREMIUM

Performance Level: CF-4

- · Excellent anti oxidation properties
- · Extended oil drain interval
- · Extends engine rebuild life
- · Excellent wear protection
- Lower operating cost Reducing maintenance cost
- · Minimizes deposit formation



S. NO.	PART NO.	PACK SIZE IN LITRES	STD PACKING	COUPON AMOUNT
1	358.128-521	0.5	20	
2	358.059-791	1	20	+
3	358.059-811	3	6	*
4	358.059-821	5	4	*
5	358.128-491	7	2	10 13
6	358.128-371	7.5	2	4/4
7	358.128-861	10	1	-
8	358.128-701	15	1	+
9	358.128-711	50	1	-
10	358.133-541	210	1	-
11	358.128-511	3	6	20.00











SAFE GUARD 20W-50 PREMIUM

Performance Level: API SL/CF in Gasoline service/ILSAC CF-3/ IS13656-2002(E-Pl4/E-DL3)

FEATURES & BENEFITS:

- · Superior wear protection
- · Superior deposit control
- · Extended component life
- · Lower oil consumption
- · Better fuel Economy
- · Catalytic Convertor Compatible



S. NO.	PART NO.	PACK SIZE IN LITRES	STD PACKING	COUPON AMOUNT
1	358.059-741	1	20	
2	358.059-751	3	6	7 H O W
3	358.059-761	3.5	6	*

STEERING OIL ATF TQ

Performance Level: Type A Suffix A (TASA)

- Provides good anti-wear protection to critical parts
- · Good foam control leads to smooth gear shifting
- · Compatible with all common seal materials
- Good oxidation and thermal stability reduces deposit formation
- Extremely high Viscosity Index ensures adequate lubrication in both high operating & low starting temperatures



S. NO.	PART NO.	PACK SIZE IN LITRES	STD PACKING	COUPON AMOUNT
1	358.128-791	0.5	20	/ L
2	358.128-901	1	20	/ =
3	358.097-733	5	4	











GEAR OIL

Performance Level: GL-4

- Easy Starting
- · Reduces Fuel Consumption
- · Reduces Maintenance Cost
- Extends Engine Life
- · Resists Oil Thickening
- · Prevent Carbon Built-up in Engines
- · Protects from Rust & Corrosion











S. NO.	PART NO.	PACK SIZE IN LITRES	STD PACKING	COUPON
EP-90				
1	358.128-361	0.5	20	
2	358.128-851	1	20	-
3	358.128-871	5	4	
4	358.128-881	26	1	-
5	358.128-891	210	1	1-11
EP-80V	V-90			
1	358.128-801	1	20	TO THE L
2	358.128-811	2.5	6	PE I
3	358.128-911	5	4	1
4	358.133-571	7	2	(A +III
5	358.128-921	210	1	-

S. NO.	PART NO.	PACK SIZE IN LITRES	STD PACKING	COUPON AMOUNT
75W-90)			
1	358.128-931	1	20	-
2	358.128-941	2.5	6	100.00
3	358.133-641	2.5	6	-
EP-140	l)			
1	358.133-551	1	20	
2	358.133-561	5	4	-
85W-14	0			
1	358.133-581	1 /	20	/ -
2	358.133-591	12	1	-











2WHEELER LUBRICANTS



Make the Ride Smoother with HELLA Lubricants

SAFE GUARD 20W-40 PREMIUM

Performance Level: API SL JASO MA2

FEATURES & BENEFITS:

- · High Engine Durability
- · High Fuel Efficiency
- . Low Oil Consumption
- Lower Maintenance Cost
- . Longer Oil and Engine Life



S. NO.	PART NO.	PACK SIZE IN LITRES	STD PACKING	COUPON AMOUNT	
1	358.059-851	0.9	20	15.00	
2	358.059-861	1	20	15.00	
3	358.059-931	0.9	20	-	
4	358.059-941	1	20		
5	358.059-871	50	1	-	١
6	358.059-881	210	1	1 4	

SAFE GUARD 10W-30 PREMIUM

Performance Level: API SL JASO MA2

- High Engine Durability
- High Fuel Efficiency
- Low Oil Consumption
- Lower Maintenance Cost
- . Longer Oil and Engine Life



S. NO.	PART NO.	PACK SIZE IN LITRES	STD PACKING	COUPON AMOUNT
1	358.128-501	0.8	20	15.00
2	358.059-921	0.8	20	21
3	358.059-891	0.9	20	(). * .
4	358.059-901	1	20	Tyle
5	358.133-241	1.2	12	/
6	358.059-911	50	1	











FRESH POWER 15W50 SEMI SYNTHETIC

Performance Level: API SN JASO MA2

FEATURES & BENEFITS:

- Maximum power output
- Excellent friction control for smooth gear shift
- · Excellent wear & oxidation protection
- · Smooth ride
- Unique film protection even at higher operating temperatures.



S. NO.	PART NO.	PACK SIZE IN LITRES	STD PACKING	COUPON AMOUNT
1	358.097-111	2.5	6	50.00

FRONT FORK OIL

- Suspension system cleanliness Keeps the suspension system clean
 and protects against foaming.
- Wear protection Strong oil film protects the suspension system against wear, oxidation, corrosion and foaming
- Breakdown resistance Shear stable viscosity improves help resist oil film breakdown.
- Year round use Suitable the whole year round and day-to-day riding.



s. No.	PART NO.	PACK SIZE IN ML	STD PACKING	COUPON
1	358.128-951	175 ml	40	14
2	358.128-961	350 ml	40	190













SAFE GUARD PREMIUM 20W-40

Performance Level: API CF-4

FEATURES & BENEFITS:

- · Easy Starting
- · Reduces Fuel Consumption
- Reduces Maintenance Cost
- . Extends Engine Life
- Resists Oil Thickening
- · Prevent Carbon Built-up in Engines
- · Protects from Rust & Corrosion



S. NO.	PART NO.	PACK SIZE IN LITRES	STD PACKING	COUPON AMOUNT
1	358.128-401	1	20	S SITE
2	358.133-231	3.5	6	Carlo y K
3	358.128-411	7.5	2	1 10
4	358.128-421	10	1	
5	358.128-431	20	1	1 - 1
6	358.128-441	50	1	11/-11
SO 7	358.128-451	3.5	6	1/2

UTTO

UNIVERSAL TRACTOR TRANSMISSION OIL

- Provides superior friction durability and optimizes clutch performance.
- · Superior pump wear protection.
- · Excellent final drive performance.
- · Excellent cleanliness.
- Provides noise free wet brake performance.
- · Proven field performance.





S. NO.	PART NO.	PACK SIZE IN LITRES	STD PACKING	COUPON AMOUNT
1	358,133-201	5	4	4
2	358.133-211	20	1	// -

MULTI PURPOSE GREASES-AP3

LITHIUM COMPLEX AP-3

FEATURES & BENEFITS:

- . High Engine Durability
- · Better Mileage
- · Cleaner Engine Components
- . Low Oil Consumption
- . Longer Oil Drain Interval



S. NO.	PART NO.	PACK SIZE IN KG	STD PACKING	COUPON AMOUNT
1	358.128-601	0.1	60	112/2/10
2	358.128-611	0.2	60	2
3	358.128-621	0.5	24	-
4	358.128-631	1	12	The last
5	358.128-641	3	4	
6	358.128-651	5	1	50.00
7	358.128-661	7	1	70.00
8	358.128-671	18	1	150.00
9	358.128-681	180	1	

GEL GREASES

RED GEL COMPLEX

- High drop point with good thermal and structural stability
- · Excellent protection against rusting
- · Excellent corrosion inhibition property
- · Excellent temperature reversibility
- Resists water washout and grease loss due to vibration



S. NO.	PART NO.	PACK SIZE IN KG	STD PACKING	COUPON AMOUNT
1	358.128-721	0.5	24	7 - 12
2	358.128-731	1	12	20.00
3	358.128-741	3	4	60.00
4	358.128-751	5	1	100.00
5	358.128-761	7	1	150.00
6	358.128-691	10	1	200.00
7	358.128-771	18	1	350.00
8	358.128-781	180	1	-











RADIATOR COOLANT

FEATURES & BENEFITS:

- · Excellent wear protection
- · Protects from Rust & corrosion
- . Excellent cold flow properties
- · Increased Fuel Economy
- · Extended oil drain interval
- · Extends engine rebuild life



PREMIUM FULLY OAT BASED COOLANTS

S. NO.	PART NO.	PACK SIZE IN LITRES	STD PACKING	TYPE	COLOUR
1	358.003-451	0.5	20	1:7 Conc	GREEN
2	358.003-601	0.5	20	1:3 Conc	GREEN
3	358.003-301	1	20	RTU	GREEN
4	358.003-461	1	20	1:7 Conc	GREEN
5	358.003-611	1	20	1:3 Conc	GREEN
6	358.003-651	1	20	1:3 Conc (Taxi Spl.)	GREEN
7	358.003-472	3	6	1:7 Conc	GREEN
8	358.003-641	3	6	1:3 Conc	GREEN
9	358.003-661	5	4	1:3 Conc	GREEN
10	358.003-671	20	1	1:3 Conc	GREEN
11	358.003-484	210	1	1:3 Conc	GREEN
12	358.003-401	0.5	20	1:3 Conc	RED
13	358.003-621	1	20	1:3 Conc	RED
14	358.003-412	3	6	1:3 Conc	RED
15	358.003-423	5	4	1:3 Conc	RED
16	358.003-691	210	1	1:3 Conc	RED

S. NO.	PART NO.	PACK SIZE IN LITRES	STD PACKING	TYPE	COLOUR
17	358.003-431	0.5	20	1:3 Conc	BLUE
18	358.003-631	1	20	1:3 Conc	BLUE
19	358.003-442	3	6	1:3 Conc	BLUE
20	358.003-311	5	4	1:3 Conc	BLUE
21	358.003-701	210	1	1:3 Conc	BLUE
22	358.003-381	1	20	1:3 Conc	PURPLE
23	358.003-391	1	20	1:3 Conc	PINK
24	358.003-681	1	20	1:3 Conc	TELUM.



GLYC	GLYCOL BASED COOLANTS				
S. NO.	PART NO.	PACK SIZE IN LITRES	STD PACKING	TYPE	COLOUR
1	329.394-001	1	20	1:3 Conc	GREEN
2	329.394-031	1 /	20	RTU	GREEN
3	329.394-101	1	20	1:7 Conc	GREEN
4	329.394-041	3	8	1:3 Conc	GREEN
5	329.394-061	5	4	1:3 Conc	GREEN
6	329.394-081	205	1	1:3 Conc	GREEN
7	329.394-011	1	20	1:3 Conc	BLUE
8	329.394-021	1	20	1:3 Conc	RED

BRAKE & CLUTCH FLUID DOT 3 AND DOT 4



- · Maximizes equipment life by resisting gear wear and scuffing
- . Long service life by resisting oxidation and oil thickening
- · Protection against corrosion of ferrous and non-ferrous components
- · Prevents loss of lubricant from foaming

S. NO.	PART NO.	PACK SIZE	STD PACKING	COLOUR
DOT 3				
1	358.133-401	100 ml	80	RED
2	358.133-411	250 ml	40	RED
3	358.133-421	500 ml	20	RED
DOT 4				
4	358.133-431	100 ml	80	
4	358.133-441	250 ml	40	中共主 1051.3 M
5	358.133-451	500 ml	20	BW-F-VFELLEW



LUBRICANTS

MARUTI	MARUTI					
MODEL	APPLICATION SUMP (L)	HELLA RECOMMENDED ENGINE OIL				
MARUTI 800	2.7	SAFE GUARD 20W-50/ SAFE GUARD 15W-40				
ZEN	3.3	SAFE GUARD 15W-40/ COOL MAKER 5W-30				
ZEN ESTILO	3.7	SAFE GUARD 15W-40/ COOL MAKER 5W-30				
ALTO 800	2.7	SAFE GUARD 15W-40/ COOL MAKER 5W-30				
A STAR	2.9	SAFE GUARD 15W-40/ COOL MAKER 5W-30				
ALTO K-10	2.9	SAFE GUARD 15W-40/ COOL MAKER 5W-30				
WAGON R	2.9	SAFE GUARD 15W-40/ COOL MAKER 5W-30				
RITZ	3.2	SAFE GUARD 15W-40/ COOL MAKER 5W-30				
SWIFT	3,1-3.2	SAFE GUARD 15W-40/ COOL MAKER 5W-30				
ESTEEM	4.5	SAFE GUARD 15W-40/ COOL MAKER 5W-30				
BALENO	4.2	SAFE GUARD 15W-40/ COOL MAKER 5W-30				
SWIFT DZIRE PETROL	3.1-3.2	SAFE GUARD 15W-40/ COOL MAKER 5W-30				
SWIFT DZIRE DIESEL	3.1-3.2	SAFE GUARD 15W-40/ COOL MAKER 5W-30				
SX4 PETROL	4.3	COOL MAKER 5W-30/ COOL MAKER 5W-40				
SX4 DIESEL	3.5	COOL MAKER 5W-30/ COOL MAKER 5W-40				
KIZASHI	3.1	SAFE GUARD 15W-40/ COOL MAKER 5W-30				
GYPSY KING	4.2	SAFE GUARD 15W-40/ COOL MAKER 5W-30				
GRAND VITARA XL7	5.5	SAFE GUARD 15W-40/ COOL MAKER 5W-40				
GRAND VITARA 420	5.5	SAFE GUARD 15W-40/ COOL MAKER 5W-40				
GRAND VITARA 424	4.8	SAFE GUARD 15W-40/ COOL MAKER 5W-40				
ERTIGA PETROL	3,1	SAFE GUARD 15W-40/ COOL MAKER 5W-30				
ERTIGA DIESEL	3.1	SAFE GUARD 15W-40/ COOL MAKER 5W-30				
OMNI	2.7	SAFE GUARD 15W-40/ COOL MAKER 5W-30				
EECO	4.2	SAFE GUARD 15W-40/ COOL MAKER 5W-30				
S-CROSS PETROL	3,1	COOL MAKER 5W-30/ COOL MAKER 5W-40				
S-CROSS DIESEL	5	SAFE GUARD 15W-40/ COOL MAKER 5W-40				
VERSA	4.2	SAFE GUARD 15W-40/ COOL MAKER 5W-30				

MAHINDRA					
MODEL	APPLICATION SUMP (L)	HELLA RECOMMENDED ENGINE OIL			
XYLO (MEAGLE)	6	SAFE GUARD 15W-40/ COOL MAKER 5W-40			
XYLO (MDI CDRE)	6	SAFE GUARD 15W-40/ COOL MAKER 5W-40			
SCORPIO (VIX/VIS/SLE /LX-MHAWK)	6	SAFE GUARD 15W-46/ COOL MAKER 5W-40			
SCORPIO VIX/VIS AUTOMATIC (MHAWK)	6	5AFE GUARD 15W-40/ COOL MAKER 5W-41			

MAHINDRA			
Ī	MODEL	APPLICATION SUMP (L)	HELLA RECOMMENDED ENGINE OIL
	SCORPIO CRDE SIX/SLE /LX/GETAWAY	6	SAFE GUARD 15W-40/ COOL MAKER 5W-40
	SCORPIO M2DI	7	SAFE GUARD 15W-40/ COOL MAKER 5W-40
	BOLERO VLX	6	SAFE GUARD 15W-40/ COOL MAKER 5W-40
	COMMANDER 650 DI	7	SAFE GUARD 15W-40
	BOLERO (SIX/SLE/ LX/CAMPER)	7	SAFE GUARD 15W-40
	CL550	7	SAFE GUARD 15W-40
	MAXX PICKUP	7	SAFE GUARD 15W-40
	BOLERO PICKUP	7	SAFE GUARD 15W-40
	BOLERO PICKUP CNG	7	SAFE GUARD 15W-40

SAFE GUARD 15W-40 SAFE GUARD 15W-40

FORD				
MODEL	APPLICATION SUMP (L)	HELLA RECOMMENDED ENGINE OIL		
FIGO PETROL	4.1	SAFE GUARD 15W-40/ COOL MAKER 10W-40		
FIGO DIESEL	3,9	SAFE GUARD 15W-40/ COOL MAKER 10W-40		
FIESTA PETROL	4.5	SAFE GUARD 15W-40/ COOL MAKER 10W-40		
FIESTA DIESEL	4	SAFE GUARD 15W-40/ COOL MAKER 10W-40		
IKON PETROL ENDURA	3.8	COOL MAKER 10W-40/ COOL MAKER 5W-40		
IKON PETROL ROCAN	4.5	COOL MAKER 10W-40/ COOL MAKER 5W-40		
IKON DIESEL ROCAN	4.5	SAFE GUARD 15W-40/ COOL MAKER 5W-40		
FUSION PETROL	4.5	COOL MAKER 10W-40/ COOL MAKER 5W-40		
FUSION DIESEL	4.5	SAFE GUARD 15W-40/ COOL MAKER 5W-40		
ECOSPORT PETROL	4.3	COOL MAKER 10W-40/ COOL MAKER 5W-40		
ECOSPORT DIESEL	4.2	SAFE GUARD 15W-40/ COOL MAKER 10W-40		
ENDEAVOUR	6.5	SAFE GUARD 15W-40/ COOL MAKER 5W-40		

VOLVO		
MODEL	APPLICATION SUMP (L)	HELLA RECOMMENDED ENGINE OIL
580	5	COOL MAKER 5W-40
XC60	6	SAFE GUARD 15W-40/ COOL MAKER 5W-40
XC90	6	SAFE GUARD 15W-40/ COOL MAKER 5W-40

MAXX MAXITRUCK

MAXX MAXITRUCK CNG



LUBRICANTS

TOYOTA			
MODEL	APPLICATION SUMP (L)	HELLA RECOMMENDED ENGINE OIL	
COROLLA	4	COOL MAKER 5W-40	
CAMRY (ACV 30)	4	COOL MAKER 5W-40	
CAMRY (ACV 40)	4.2	COOL MAKER 5W-40	
QUALIS PETROL	4	SAFE GUARD 15W-40/ COOL MAKER 5W-30	
QUALIS DIESEL	4.5	SAFE GUARD 15W-40/ COOL MAKER 5W-30	
INNOVA PETROL	6	COOL MAKER 5W-30/ COOL MAKER 5W-40	
INNOVA DIESEL	6.8	SAFE GUARD 15W-40/ COOL MAKER 5W-40	
PRIUS	4.2	SAFE GUARD 15W-40/ COOL MAKER 5W-40	
FORTUNER	7	SAFE GUARD 15W-40/ COOL MAKER 5W-40	
LAND CRUISER	9	SAFE GUARD 15W-40/ COOL MAKER 5W-40	
PRADO	6.9	SAFE GUARD 15W-40/ COOL MAKER 5W-40	

MERCEDES BENZ				
MODEL	APPLICATION SUMP (L)	HELLA RECOMMENDED ENGINE OIL		
SLK ROADSTER	6.5	COOL MAKER 5W-40		
R CLASS	8	COOL MAKER 5W-40		
GL CLASS	8.5	COOL MAKER 5W-40		
LS	6.5	COOL MAKER 5W-40		
C CLASS	5	COOL MAKER 5W-40		
E CLASS	5	COOL MAKER 5W-40		
A CLASS	5	COOL MAKER 5W-40		
B CLASS	5	COOL MAKER 5W-40		

FIAT				
MODEL	APPLICATION SUMP (L)	HELLA RECOMMENDED ENGINE OIL		
PALIO PETROL	2.7	SAFE GUARD 15W-40/ COOL MAKER 10W-40		
PALIO DIESEL	3.2	SAFE GUARD 15W-40/ COOL MAKER 10W-40		
LINEA PETROL	3	SAFE GUARD 15W-40/ COOL MAKER 10W-40		
LINEA DIESEL	3.5	SAFE GUARD 15W-40/ COOL MAKER 10W-40		
GRANDE PUNTO (P)	2.8	SAFE GUARD 15W-40/ COOL MAKER 10W-40		
GRANDE PUNTO (D)	3	SAFE GUARD 15W-40/ COOL MAKER 10W-40		

BMW

MODEL	APPLICATION SUMP (L)	HELLA RECOMMENDED ENGINE OIL
3 SERIES	5.2	COOL MAKER 5W-40
Х3	5.2	COOL MAKER 5W-40
5 SERIES	6.5	COOL MAKER 5W-40
8 D	7.7	COOL MAKER 5W-40
6 SERIES	7.7	COOL MAKER 5W-40
X6	7.2	COOL MAKER 5W-40
7 SERIES	7.2	COOL MAKER 5W-40
M SERIES	9	COOL MAKER 5W-40

SKODA			
MODEL	APPLICATION SUMP (L)	HELLA RECOMMENDED ENGINE OIL	
FABIA PETROL	3.6	COOL MAKER 10W-40/ COOL MAKER 5W-40	
FABIA DIESEL	4.3	SAFE GUARD 15W-40/ COOL MAKER 5W-40	
OCTAVIA	4.5	COOL MAKER 5W-40	
SUPERB	4	COOL MAKER 5W-40	
RAPID PETROL	3.6	COOL MAKER 10W-40/ COOL MAKER 5W-40	
RAPID DIESEL	4.3	SAFE GUARD 15W-40/ COOL MAKER 5W-40	
LAURA	4.3	COOL MAKER 5W-40	

HONDA				
MODEL	APPLICATION SUMP (L)	HELLA RECOMMENDED ENGINE OIL		
BRIO	3	SAFE GUARD 15W-40/ COOL MAKER 10W-40		
CITY PETROL	3.6	COOL MAKER 10W-40/ COOL MAKER 5W-40		
CITY DIESEL	4	COOL MAKER 5W-49		
CIVIC	4.5	COOL MAKER 5W-40		
ACCORD	4.5	COOL MAKER 5W-40		
AMAZE PETROL	3.6	COOL MAKER 10W-40/ COOL MAKER 5W-40		
AMAZE DIESEL	3.6	SAFE GUARD 15W-40/ COOL MAKER 10W-40		
JAZZ PETROL	3.6	COOL MAKER 10W-40/ COOL MAKER 5W-40		
JAZZ DIESEL	4	SAFE GUARD 15W-40/ COOL MAKER 10W-40		
WR-V PETROL	3.5	COOL MAKER 10W-40/ COOL MAKER 5W-40		
WR-V DIESEL	4.2	SAFE GUARD 15W-40/ COOL MAKER 10W-40		
BR-V PETROL	3.5	COOL MAKER 10W-40/ COOL MAKER 5W-40		
BR-V DIESEL	4.2	SAFE GUARD 15W-40/ COOL MAKER 5W-40		
CR-V	3.8	SAFE GUARD 15W-40/ COOL MAKER 5W-40		



LUBRICANTS

			-	•
H	***	116		
	ч	0.1	.,	м

MODEL	APPLICATION SUMP (L)	HELLA RECOMMENDED ENGINE OIL
SANTRO	3,1	SAFE GUARD 15W-40
110	3.1	SAFE GUARD 15W-40/ COOL MAKER 5W-30
GETZ	3.3	SAFE GUARD 15W-40/ COOL MAKER 5W-30
GETZ NEW	3	SAFE GUARD 15W-40/ COOL MAKER 5W-30
EON (0.8 L)	2.5	SAFE GUARD 15W-40/ COOL MAKER 5W-30
EON [1 L]	3	SAFE GUARD 15W-40/ COOL MAKER 5W-30
GRAND IIO	3.6	SAFE GUARD 15W-40/ COOL MAKER 5W-30
GRAND I10 LPG	3.6	SAFE GUARD 15W-40/ COOL MAKER 5W-30
120 (1.2 L)	3.6	SAFE GUARD 15W-40/ COOL MAKER 5W-30
120 (1.4 L)	3,3	SAFE GUARD 15W-40/ COOL MAKER 5W-30
ACCENT PETROL	3.3	COOL MAKER 5W-30/ COOL MAKER 5W-40
ACCENT DIESEL	5	SAFE GUARD 15W-40/ COOL MAKER 5W-40
VERNA PETROL	3.3	COOL MAKER 5W-30/ COOL MAKER 5W-40
VERNA DIESEL	5.3	SAFE GUARD 15W-40/ COOL MAKER 5W-40
ELANTRA PETROL	3.9	COOL MAKER 5W-30/ COOL MAKER 5W-40
ELANTRA DIESEL	5,9	SAFE GUARD 15W-40/ COOL MAKER 5W-40
SONATA PETROL	4,3	COOL MAKER 5W-30/ COOL MAKER 5W-40
SONATA DIESEL	4,5	SAFE GUARD 15W-40/ COOL MAKER 5W-40
TUCSON CRDI	5.9	SAFE GUARD 15W-40/ COOL MAKER 5W-40
TERRACAN	7.1	SAFE GUARD 15W-40/ COOL MAKER 5W-40
SANTA FE	7.8	SAFE GUARD 15W-40/ COOL MAKER 5W-40

RENAULT

MODEL	APPLICATION SUMP (L)	HELLA RECOMMENDED ENGINE OIL	
PULSE PETROL	3.2	SAFE GUARD 15W-40/ COOL MAKER 5W-30	
PULSE DIESEL	4	SAFE GUARD 15W-40/ COOL MAKER 5W-30	
SCALA PETROL	3	COOL MAKER 5W-30/ COOL MAKER 5W-40	
SCALA DIESEL	4.5	SAFE GUARD 15W-40/ COOL MAKER 5W-40	
LOGAN PETROL	3.3	COOL MAKER 5W-30/ COOL MAKER 5W-40	
LOGAN DIESEL	4.1	SAFE GUARD 15W-40/ COOL MAKER 5W-40	
FLUENCE PETROL	3.5	COOL MAKER 5W-30/ COOL MAKER 5W-40	
FLUENCE DIESEL	5	SAFE GUARD 15W-40/ COOL MAKER 5W-40	
KOLEOS DIESEL	8	SAFE GUARD 15W-40/ COOL MAKER 5W-40	
DUSTER PETROL	4.5	COOL MAKER 5W-30/ COOL MAKER 5W-40	
DUSTER DIESEL	4.8	SAFE GUARD 15W-40/ COOL MAKER 5W-40	
KWID (0.8L)	2.5	SAFE GUARD 15W-40/ COOL MAKER 5W-30	
KWID (1 L)	3	SAFE GUARD 15W-40/ COOL MAKER 5W-30	

TATA

MOD	EL	APPLICATION SUMP (L)	HELLA RECOMMENDED ENGINE OIL
NAN	0	2.5	SAFE GUARD 15W-40/ COOL MAKER 5W-30
TIAG	0 PETROL	4	SAFE GUARD 15W-40/ COOL MAKER 5W-30
TIAG	O DIESEL	4.5	SAFE GUARD 15W-40/ COOL MAKER 5W-30
INDI	CA PETROL	4	SAFE GUARD 15W-40/ COOL MAKER 5W-30
INDI	CA DIESEL	5.5	SAFE GUARD 15W-40/ COOL MAKER 5W-30
INDI	CA VISTA PETROL	3.6	SAFE GUARD 15W-40/ COOL MAKER 5W-30
INDI	CA VISTA QUADRAJET (D)	3.7	SAFE GUARD 15W-40/ COOL MAKER 5W-30
INDI	CA VISTA DIESEL TOI	5.5	SAFE GUARD 15W-40/ COOL MAKER 5W-30
INDI	GO PETROL	4	SAFE GUARD 15W-40/ COOL MAKER 5W-30
INDI	GO DIESEL	5.5	SAFE GUARD 15W-40/ COOL MAKER 5W-30
INDI	GO DICOR DIESEL	5.5	SAFE GUARD 15W-40/ COOL MAKER 5W-30
MAN	ZA PETROL	3.3	SAFE GUARD 15W-40/ COOL MAKER 5W-30
MAN	ZA DIESEL	3.3	SAFE GUARD 15W-40/ COOL MAKER 5W-30
ZEST	PETROL	4	COOL MAKER 5W-30
ZEST	DIESEL	3.5	SAFE GUARD 15W-40/ COOL MAKER 5W-30
SAF	ARI DICOR	7.5	SAFE GUARD 15W-40
SAFA	ARI DIESEL (OLD)	7.5	SAFE GUARD 15W-40
EST/	ATE	6.7	SAFE GUARD 15W-40
SUM	O GRANDE	7.5	SAFE GUARD 15W-40
SUM	O DIESEL	6.8	SAFE GUARD 15W-40
SUM	O TURBO	7.7	SAFE GUARD 15W-40
HEX	4	7.5	SAFE GUARD 15W-40/ COOL MAKER 5W-40
ARIA	Ė	7.5	SAFE GUARD 15W-40/ COOL MAKER 5W-40
XEN	ON	7.7	SAFE GUARD 15W-40/ COOL MAKER 5W-40

FORCE MOTORS

MODEL	APPLICATION SUMP (L)	HELLA RECOMMENDED ENGINE OIL
TRAX GURKHA 4WD DIESEL	7	SAFE GUARD 15W-40
TRAX CRUISER DIESEL	6.5	SAFE GUARD 15W-40
TRAVELLER DIESEL	7.5	SAFE GUARD 15W-40
GAMA DIESEL	6.5	SAFE GUARD 15W-40
FORCE ONE SUV (CRDI)	6.5	SAFE GUARD 15W-40
FORCE ONE SUV (BS III)	7.5	SAFE GUARD 15W-40



LUBRICANTS

CHEVROLET		
MODEL	APPLICATION SUMP (L)	HELLA RECOMMENDED ENGINE OIL
UVA/AVEO PETROL	3.5	SAFE GUARD 15W-40/ COOL MAKER 10W-40
UVA/AVEO DIESEL	3.7	SAFE GUARD 15W-40/ COOL MAKER 10W-40
SPARK PETROL	3.8	SAFE GUARD 15W-40/ COOL MAKER 10W-40
SPARK DIESEL	3.8	SAFE GUARD 15W-40/ COOL MAKER 10W-40
BEAT PETROL	3.5	SAFE GUARD 15W-40/ COOL MAKER 10W-40
BEAT DIESEL	3.5	SAFE GUARD 15W-40/ COOL MAKER 10W-40
ASTRA/CORSA PETROL	3.8	SAFE GUARD 15W-40/ COOL MAKER 10W-40
OPTRA MAGNA 1.8 PETROL	3.8	SAFE GUARD 15W-40/ COOL MAKER 10W-40
OPTRA MAGNA 1.6 DIESEL	3.8	SAFE GUARD 15W-40/ COOL MAKER 10W-40
OPTRA 1.8 PETROL	4	SAFE GUARD 15W-40/ COOL MAKER 10W-40
OPTRA 1.8 DIESEL	7	SAFE GUARD 15W-40/ COOL MAKER 10W-40
CRUZE PETROL	4.5	COOL MAKER 10W-40/ COOL MAKER 5W-40
CRUZE DIESEL	4.5	SAFE GUARD 15W-40/ COOL MAKER 5W-40
CAPTIVA	6.2	COOL MAKER 5W-40
SRV	3.8	COOL MAKER 5W-40
TAVERA	6.	SAFE GUARD 15W-40/ COOL MAKER 5W-40

AUDI		
MODEL	APPLICATION SUMP (L)	HELLA RECOMMENDED ENGINE OIL
A4 (OLD)	4.5	COOL MAKER SW-40
A4 (NEW)	5	COOL MAKER 5W-40
П	4.5	COOL MAKER 5W-40
A6	6.5	COOL MAKER 5W-40
A8	8.5	COOL MAKER 5W-40
R8	8.5	COOL MAKER 5W-40
Q7	9.5	COOL MAKER 5W-40

PORSCHE

MODEL	APPLICATION SUMP (L)	HELLA RECOMMENDED ENGINE OIL	
BOXSTER	7	COOL MAKER 5W-40	
CAYENNE	7	COOL MAKER 5W-40	
PANAMERA	7	COOL MAKER 5W-40	
CARRERA	7	COOL MAKER 5W-40	
V6	7	COOL MAKER 5W-40	
V8	8.5	COOL MAKER 5W-40	

NISSAN		
MODEL	APPLICATION SUMP (L)	HELLA RECOMMENDED ENGINE OIL
MICRA PETROL	3	SAFE GUARD 15W-40/ COOL MAKER 10W-40
MICRA DIESEL	4	SAFE GUARD 15W-40/ COOL MAKER 10W-40
SUNNY PETROL	3.5	COOL MAKER 10W-40/ COOL MAKER 5W-40
SUNNY DIESEL	4.5	SAFE GUARD 15W-40/ COOL MAKER 5W-40
EVALIA	4.5	COOL MAKER 10W-40/ COOL MAKER 5W-40
TERRANO PETROL	4.5	COOL MAKER 10W-40/ COOL MAKER 5W-40
TERRANO DIESEL	7.2	SAFE GUARD 15W-40/ COOL MAKER 5W-40
X-TRAIL	5.2-7.4	SAFE GUARD 15W-40/ COOL MAKER 5W-40
TEANA	4.0-8.9	COOL MAKER 5W-40

VOLKSWAGEN		
MODEL	APPLICATION SUMP (L)	HELLA RECOMMENDED ENGINE OIL
POLO	3.7	COOL MAKER 10W-40/ COOL MAKER 5W-40
BEETLE	4.5	COOL MAKER 5W-40
VENTO	3,7	COOL MAKER 5W-40
JEETA	4.5	COOL MAKER 5W-40
PASSAT	4.5	COOL MAKER 5W-40
PHAETON	7.5	COOL MAKER 5W-40
TOUAREG	7.5	COOL MAKER 5W-40
PASSAT PHAETON	4.5 4.5 7.5	COOL MAKER 5W-40 COOL MAKER 5W-40 COOL MAKER 5W-40

^{*}The lubricant recommended is indicative only, for exact specification please refer to vehicle manufacturers service manual.

